

Syndizierung mit Lixto: Gender-Links

Links

<http://www.univie.ac.at/gender/>

<http://www.gem.or.at/>

<http://www.genderandcomputing.no/>

<http://www.gendernet.at/>

Genderreferat Universität Wien
Gender Mainstreaming im Eu-
ropäischen Sozialfonds (ESF)
Blog von Hilde Corneliusen (De-
partment of Humanistic Informat-
ics, Univ. of Bergen)
European Network for Assess-
ment, Validation and Dissemi-
nation of Gender Mainstreaming
Strategies in Vocational Guidance
and Qualification

Syndizierung mit Lixto: Gender-Links

Wrapper-Erstellung

Lixto Visual Wrapper – /home/aoe/gem-db1.project.xml

Wrapper Programm: von Projekt

Hilfe

Wrapper Programm: von Projekt

rootPattern [D] (Standard Elternknoten: keine)

- Filter (Elternmuster: keines)**

item [T] (Standard Elternknoten: rootPattern)

- Filter [2, -2] (Elternmuster: rootPattern)**
- SubElementAtom**

title [S] (Standard Elternknoten: item)

- Filter (Elternmuster: item)**
- SubStringDefinitionAtom**

description [S] (Standard Elternknoten)

Baum

Kollabieren (-)

Editieren **Beschreibung**

Muster hinzufügen

Name: Kategorie: Baum

Filter hinzufügen

Elternmuster: Standard Elternknoten

Muster testen

Testmodus: Partiell

Muster löschen

Aktives Beispieldokument: <http://www.gem.or.at/cgi-bin/gem.pl?funktion=stichwort&stichwort2=&operator=...>

Suchergebnisse

Klicken Sie bitte die einzelnen Titel an, um die vollständige Titelinformation zu erhalten.

[Braithwaite, Mary / Wuimane, Nathalie \(o.A.\): Manual for Integration Gender Equality into Local and Regional Development. Brüssel](#)


[Center for Regional Economic and Social Research, \(2000\): ESRC Seminar Series 1999 - 2000, The Interface between Public Policy and Gender](#)

Sie können [hier](#) auch Ihre Materialien zum Thema Gender Mainstreaming und Chancengleichheit in die

System bereit.

Syndizierung mit Lixto: Gender-Links

Übersicht Translation Server



Syndizierung mit Lixto: Gender-Links

Websource-Eingabe/Verknuepfung mit Content Extractor

Syndizierung mit Lixto: Gender-Links

Websource-Eingabe/Verknuepfung mit Content Extractor

The screenshot shows the 'Web Source Configuration' page of the Lixto Transformation Server. At the top, there are configuration settings for retries:

- Enable retry
- Retry after a delay of (seconds):
- Retry delay multiplier:
- Number of retries:

Below these settings is a button labeled 'Apply'. Under the heading 'Navigation Sequence', there is a button labeled 'Add New Request'. A note states: 'This is the currently defined navigation sequence:' followed by four entries:

- ④ http://www.gem.or.at/cgi-bin/gem.pl?funktion=stichwort&stichwort2=&operator=OR&stichwort1=45&aktion=suche&submit=Suche&sprache=de
CE Project: gem-db1.project.xml
- ④ http://www.gem.or.at/cgi-bin/gem.pl?funktion=stichwort&stichwort2=&operator=OR&stichwort1=1&aktion=suche&submit=Suche&sprache=de
CE Project: gem-db1.project.xml
- ④ http://www.gem.or.at/cgi-bin/gem.pl?funktion=stichwort&stichwort2=&operator=OR&stichwort1=2&aktion=suche&submit=Suche&sprache=de
CE Project: gem-db1.project.xml
- ④ http://www.gem.or.at/cgi-bin/gem.pl?funktion=stichwort&stichwort2=&operator=OR&stichwort1=3&aktion=suche&submit=Suche&sprache=de
CE Project: gem-db1.project.xml

At the bottom left, there is a 'Done' button.

Syndizierung mit Lixto: Gender-Links

Scheduler für den Deliverer

http://gallina.lixto.tuwien.ac.at:23080 - Deliverer5 - Deliverer Configuration - Lixto Transformation Server - Mozilla Firefox

General Device Configuration Scheduler Parameters Delivery

Between

All events of this scheduler rule must occur

From: 16 January 2007 13 14 ,
To: [] [] [] [] [] .

Month Condition

All events of this scheduler rule must be

In: any month , OR
On: any day (of month),
On: any weekday , in: any week (of month).

Time

Within every day matching the conditions above, all events must take place

At: [] h [] min.
To: [] h [] min.

Period

Within the time frame(s), described by the conditions above, matching events must occur

Every: 1 h 0 min 0 s.

Done

Syndizierung mit Lixto: Gender-Links

Alternativersion: Perl

http://tigerente.htu.tuwien.ac.at/aoe/studium/la_aoe/lixto/gender.rdf

http://tigerente.htu.tuwien.ac.at/aoe/studium/la_aoe/lixto/gender-rdf.pl

```
#!/usr/bin/perl
# make perl reasonably restrictive
use strict;
use warnings;

# parsers
use HTML::Form;
use HTML::TreeBuilder;
```

```
# modules for outbound requests
require HTTP::Request;
use LWP::UserAgent;

# start from there
my $base_uri="http://www.gem.or.at/cgi-bin/gem.pl?aktion=sue"

# for requests
my ($ua, $request, $response);
my (@forms, $form, %sc_urls);

# make a request to collect the dropdown options
$request = HTTP::Request->new(GET => "$base_uri");
$ua = LWP::UserAgent->new;
$response = $ua->request($request);

# for testing: local version
```

```
#$response = cat("gem.html");
@forms = HTML::Form->parse($response, $base_uri);

# subroutine (see below) for extraction
my %out=listoptions($forms[0],"stichwort1");

# q'n'd rss header ...
print <<"EOF";
<rss version="2.0">
EOF

for my $stichwort (keys %out) {
if ($stichwort) {
print <<"EOF";
<channel rdf:about="$base_uri">
<title>$out{$stichwort}</title>
<link>$base_uri</link>
```

EOF

```
print STDERR ">>>>>> $stichwort\n";
$form[0]->param('stichwort1',$stichwort);
$ua = LWP::UserAgent->new;
$form[0]->action =~ m#(.*#);
my $base_uri=$1;
# caching
my $content;
if (-f "gem-db-$stichwort.html") {
$content=cat("gem-db-$stichwort.html");
} else {
$response = $ua->request($form[0]->click);
open O,>"gem-db-$stichwort.html";
print O $response->content;
close O;
$content=$response->content;
}
```

```
my $tree=HTML::TreeBuilder->new_from_content($content);
for ([${$tree->find('table')}]->[3]->find('td')) {
my $link=$base_uri.[${_}>extract_links]->[0] [0] [0];
if ($link =~ /gem.pl/) {
#my $content=join(" ",keys %$_);
# _parent _content align valign _tag
my $content=${$_->{'_content'}}[0]{"_content"}[0];
#>>>>>> 51
#Use of uninitialized value in concatenation (.) or string at line 51
#Use of uninitialized value in concatenation (.) or string at line 51
#Can't use string ("Es wurde kein Eintrag in der Dat") as a key at line 51
if ($content && $link) {
print <<"EOF";
<item>
<title>$content</title>
<link>$link</link>
```

```
</item>
EOF
}
}
#print  [$_->find("td")]->[0]->attr("text");
#print "    > ",$_->find("a")->attr("text"),"\n";
}

print <<"EOF";
</channel>
EOF

print STDERR "<<<<<< $stichwort\n";
}

print <<"EOF";
```

```
</rss>
```

```
EOF
```

```
sub cat {
my ($name, $oldifd, $data);
($name)=@_;
$oldifd=$/;
$/=undef;
open I,$name;
$data=<I>;
close I;
$/=$oldifd;
return $data;
}
```

```
sub listoptions ($$) {
my ($form,$name)=@_;
```

```
my %liste;

my @values=$form->find_input($name)->possible_values;
my @names=$form->find_input($name)->value_names;
for my $i (0..$#names) {
    $liste{$values[$i]}=$names[$i];
}
return %liste;

}
```

Syndizierung mit Lixto: Gender-Links

RSS-Reader Output lixto-Variante

Liferea

Program Feeds Items View Search Help



Example Feeds (296)

Unread (460)

Flagged

Polit Schlagzeilen (46)

Syndicated Gender News (100)

Einkommen (18)

Date ▲ Headline

01/19/07 16:24:27	Leonardo da Vinci...
01/19/07 16:24:27	5 things...
01/19/07 16:24:27	Disappearing Wo...
01/19/07 16:24:27	Christina Confere...
01/19/07 16:24:27	Game in' Action - ...
01/19/07 16:24:27	Gender in Norway
01/19/07 16:24:27	Happy New Year!

Feed: [Syndicated Gender News](#)

Source: [http://gallina.lixto.tuwien.ac.at:23080/
results/idpWS06_g02.xml](http://gallina.lixto.tuwien.ac.at:23080/results/idpWS06_g02.xml)

Collection of various gender-aware websites

"Einkommen" has not changed since last update